



EMOS GoSmart in your home





SECURITY HOME

- Indoor IP cameras
- Outdoor IP cameras
- Video door phones
- Video doorbells
- Sensors
- Access control systems



MEASUREMENT AND REGULATION

- Thermostats
- Weather stations and thermometers
- Control valves
- Air quality



ELECTRICAL INSTALLATIONS AND CONTROLS

- Scenic controls
- Smart hubs
- Extension leads
- Sockets
- Modules



LUMINAIRES AND LIGHTING SOURCES

- Light bulbs
- LED Strips
- Luminaires
- Christmas lights
- Floodlights
- Garden lighting
- Ambient lighting



HOME AND GARDEN

- Scales
- Feeders
- Irrigation systems

EMOS GoSmart products

Optimum price/ quality ratio

With the affordable prices and excellent quality of EMOS GoSmart products,

the smart home system becomes accessible to everyone. You can easily create your smart home with them without complicated renovation and installation of equipment.





WIDE RANGE

Dozens of EMOS GoSmart products are developed together with the world's leading manufacturers industry leaders.



OPTIMAL PRICE AND QUALITY

EMOS GoSmart products are subject to quality control directly at the manufacturer and in our laboratory.



THE ONLY MOBILE APP

The EMOS GoSmart app allows you to control your device via your mobile device from anywhere.



TECHNICAL SUPPORT

We will provide you with technical support and help you get your EMOS GoSmart products up and running.



COMPATIBILITY AND EXPANDABILITY

Expand your smart home with EMOS GoSmart products and thousands of other TUYA- compatible products.



Advanced technology

EMOS GoSmart products communicate over a Wi-Fi network, Bluetooth or ZigBee communication protocols.

You can even use voice control with their compatibility with Amazon Alexa and Google Assistant.
















Data security and compatibility

System priorities EMOS GoSmart

The foundation of the EMOS GoSmart system is the TUYA global platform. This platform meets the most demanding security requirements and, using encrypted communication, allows the individual devices in a smart home to be connected while maintaining compatibility and ease of use.

Renowned brands that have chosen the TUYA platform for their smart devices include HAMA, LIDL, LEDVANCE, PHILIPS and many others.



products

EMOS GoSmart app


Full localisation and ease of use

The EMOS GoSmart app makes it easy to control all your smart home devices via your **Android or iOS** mobile phone or tablet. Thanks to the perfect localisation, you can communicate with it in your native language.









Smart control of your home



Control multiple device



Instant connection from anywhere



Create and use intelligent scenerios



Share with your family in one click



Without complicated settings, **the EMOS GoSmart app** gives you an up-to-date overview of what's happening in your home and lets you conveniently control all your smart devices remotely.



FULL LOCALISATION

With full localisation, you'll be up and running with the app. You can communicate in your native language.



EASY TO USE

You don't have to worry about complicated app control. Anyone can use it



CLEVER SCENARIOS

Let your products work together with smart scenarios.



DEVICE MANAGEMENT

All smart home devices can be controlled with the app from anywhere.



SMART ALERTS

The app alerts you to what's happening in your home with notifications.

EMOS GoSmart is here to make your life more pleasant, safe and convenient.

EMOS GoSmart 2.0


Gateway to new possibilities

Introducing an evolution in the control of your EMOS GoSmart smart products. The new version of the EMOS GoSmart 2.0 app brings with it not only improvements to the user interface, but also several new features for even easier and more comprehensive control.




Complete app redesign

You'll notice a fresh and improved color scheme, an updated pairing list, and many other enhancements throughout the app. Despite these changes, the overall layout remains the same to ensure a familiar navigation experience for our long-time users.



New lighting scenes

We've introduced a new feature in the GoSmart app called "Lighting" that allows you to set up scenes and automations specifically for lighting. With this feature, you can now group Wi-Fi and ZigBee lights, among others. You can also set specific color codes for your lights and enjoy predefined scenes e.g. smooth color changes, party mode, movie modes etc.



Adaptation to tablets and Apple watch

The app update also brings with it optimization in controlling GoSmart products with tablets and also Apple Watch for even more convenience and flexibility in managing your smart home.





GPS Triggered automations

Now you have the ability to create automations based on geographic location. For example, when you arrive near your house, you can set the gate to open automatically or the lights to turn on. We understand that this feature may raise privacy and "tracking" concerns for some of you. That's why

it's important to note that both iOS and Android location tracking works exclusively through official Apple and Google maps and does not transmit data elsewhere. In addition, the entire app is on official Microsoft and Amazon cloud servers and user data is stored according to security protocols.





Dark mode, widgets, guides and tutorials in the app

You can now choose between a dark or light scheme throughout the app. With widgets, you'll have quick access to everything you need without having to open the app. And tutorials for all products can now be found directly in the app, so you don't have to visit our website to download them. This makes managing your smart home devices really easy.







Wi-Fi protocol

The Wi-Fi protocol connects to the internet via a router that can implement remote control and monitoring. It's the ideal protocol for smart devices that need a lot of bandwidth, such as security cameras, video phones and video doorbells.








Benefits

- ability to transmit both video and audio
- simpler installation and ease of use
- lower purchase price
- no need for a hub, communicates directly with the router
- support for a large number of devices

Disadvantages

- higher power consumption (demanding on small battery devices)
- potencial for signal interference from other electrical equipment, nearby networks or physical obstructions that can lead to signal range problems
- when a large number of devices are connected, transmission speeds may be slowed



ZigBee protocol

This is a low-power, short-range wireless communication protocol that is mainly used to connect sensors, detectors and other smart home devices. The Zigbee protocol can support a large number of devices and can be connected through a network topology.









Benefits


- low energy consumption
- long battery life
- mesh communication capability within the network, i.e., the signal "jumps" from one device to another, allowing communication over longer distances
- support for a large number of devices in the network
- open standard compatibility with devices from different manufacturers

Disadvantages

- higher purchase price
- need to purchase a Zigbee connection gateway (H5001)
- no video transmission is possible







GoSmart Baby Monitor IP-500 GUARD

Smart baby monitor with high quality picture and sound transmitted to mobile phone or attached LCD monitor, you'll have perfect visibility of every rustle in your baby's room.

- wide-angle lens and dual-axis camera rotation
- easy to use at home and on the go thanks to the external 5" LCD monitor
- playback of lullabies, white noise and ambient lighting















- night vision
- IP rating: IP20
- motion detection
- sound detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way

Order Code H4052

30 24 040 520



GoSmart Camera IP-110 CUBE

An interior camera perfectly secures your house, apartment, office or property even in your absence. Once activated, you will be notified on your mobile phone when motion is detected and records it on an SD card or cloud storage.

- small size, sleek design and multiple installation options
- full HD image resolution and camera rotation in two axes
- smart private mode for complete privacy when the camera is turned off















- IP rating: IP20
- motion detection
- sound detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way

Order Code H4061

30 24 040 610





GoSmart Camera IP-600 EYE

Get perfect illumination of the desired area and overview of what's going on with this rugged outdoor camera. With a unique combination of two devices, you'll capture color video even in complete darkness.

- waterproof body for the toughest climatic conditions
- operation on a battery recharged by an integrated solar panel
- siren for an even better defense system two-way voice communication





















■ IP rating: IP55

motion detection

 compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system


protocol: Wi-Fi

voice communication: two-way















GoSmart Camera IP-210 SNAP

A versatile, durable camera that finds its place both indoors and outdoors. Thanks to its extra long battery life and easy installation, it will become a reliable protector of the home in your absence.

- waterproof camera for indoor and outdoor security
- long operating life thanks to superior battery capacity
- two supplied brackets for easy and quick installation (magnetic + mechanical bracket)
- human body detection
- two-way voice communication





















• night vision: yes, 9× IR LED 850 nm

■ IP rating: IP65

motion detection

• compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system

protocol: Wi-Fi

voice communication: two-way



Order Code H4063

Item Number 30 24 040 630



GoSmart Camera IP-310 TORCH W/B

Elegant illumination with adjustable light intensity up to 1200 lm with integrated camera with wide-angle rotating lens ensures perfect illumination of the desired space and an overview of what is happening in it.

- 2 in 1 waterproof security camera and elegant lighting
- full HD image resolution and camera rotation in one axis
- Built-in security siren up to 120 dB
- change of light intensity
- motion detection zone adjustment
- motion detection and tracking
























- IP rating: IP65
- motion detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way

Order Code H4064

Item Number 30 24 040 640







Order Code H4065

30 24 040 650







GoSmart Camera IP-800 WASP

The 5MPx outdoor camera provides an excellent level of image sharpness and captures images and videos with 5 million pixels for unparalleled detail. With this advanced resolution you'll be able to make out important details such as faces, license plates and other vital information to ensure safety around your property.

- PTZ (pan, tilt and zoom) function to ensure comprehensive coverage of the area being viewed
- siren for an even better defense system
- colour recording even at night
- motion tracking function, where the camera returns to its original position when the subject is lost

- night vision
- IP rating: IP65
- motion detection
- sound detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way



Order Code H4057

Item Number 30 24 040 570



















GoSmart Camera IP-6000 OWL

The outdoor camera with 4G connectivity offers a revolutionary combination of features to ensure security and flexibility in location. With a cellular network connection, you can monitor an area anywhere you don't have your Wi-Fi connection, such as a cottage by the woods, beehives or remote properties.

- 4G mobile network connection
- powered by a solar panel and large capacity battery
- 3MPx camera resolution for high quality images and reasonable data consumption
- PTZ (pan, tilt and zoom) pan and zoom the camera as needed and monitor a much larger area than with a photo trap



- night vision: yes, 4× IR LED + white LED
- IP rating: IP65
- motion detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: 4G, LTE
- voice communication: two-way

Order Code H4058

Item Number 30 24 040 580




















GoSmart Videophone IP-750A

A sleek touchscreen videophone that provides constant surveillance of your home. In addition to its security features, it conveniently unlocks the front door, opens garage door or gate.

- elegant 7" LCD monitor with IPS touch screen
- advanced room security features before entering the building
- expandable system suitable for apartment buildings and multiple households
- 3 modes: at home, do not disturb and away from hom























GoSmart LCD Monitor IP-750B

An expandable 7" LCD monitor for the GoSmart series of videophones that offers true-to-life colour display and wide viewing angles. When complemented by an outdoor camera unit, it provides the ultimate control of the area outside your door.

- elegant 7" LCD monitor with IPS touchscreen
- advanced security features before entering the building
- expandable system suitable for apartment buildings and multiple households
- used to extend the IP750A kit, not functional on its own













lock control optional connection of CCTV camera

 monitor size: 175 × 118 × 25 mm dimensions of the camera

unit: 142 × 44 × 21 mm

 camera viewing angle: 160°

Order Code H4020







color display: yes, IPS

lock and gate control

intercom

• number of cables (monitor/lock/gate): 4+0+2

 optional connection of CCTV cameras recommended camera unit:

H3016, H3017, H3018, H3019

monitor size: 145 × 205 × 12 mm

Order Code H4021





GoSmart Video Doorbell IP-09D

Video doorbell with motion detection, two-way communication and night vision secures your home day and night. The included LCD solar panel will allow it to operate even where it would not be possible due to the absence of power cords.

- solar panel and battery operation for locations
- without cable distribution
- full HD camera for a constant overview of what's happening outside the front door
- allows door lock control from mobile app
- alarm in case of device theft




















- lock control
- IP rating: IP44
- motion detection
- IR CUT
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- nrotocol: Wi-Fi

Order Code H4030

voice communication: two-way





GoSmart Video Doorbell IP-09C

Video doorbell with motion detection, two-way communication and night vision secures your home day and night. You can use existing cables to install the outdoor doorbell button after removing the original doorbell.

- easy installation using existing wiring
- full HD camera for a clear view of what's going on
- outside the front door
- enables door lock control
- from a mobile app
- charging adapter included





















- motion detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system

SMART DOORBELL IP-09C

- protocol: Wi-Fi
- voice communication: two-way



Order Code H4031

Item Number 30 10 040 310



GoSmart Video Doorbell IP-15S

Video doorbell with motion detection, two-way communication and night vision to secure your home day and night. Many power options make it a versatile solution for installation in your home.

- battery and mains powered
- full HD camera for a clear view of what's happening outside the front door
- elegant design

- IP rating: IP65
- motion detection
- IR CUT
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way



Order Code H4032

Item Number 30 10 040 320

























GoSmart Motion Sensor IP-2210Z ZigBee

Step into a safer and more energy-efficient future with our compact and versatile smart motion sensor.

With instant motion detection, motion recording and automation capabilities, you won't miss a thing.

- instant alerts and notifications in the mobile app
- accurate motion detection at distances up to 8 m and at 90°
- motion or timed activation
- detection angle: 90°
- detection distance: 8 m
- IP rating: IP20



Order Code H5020 Item Number 30 69 052 010



GoSmart Door Sensor IP-2011Z ZigBee

A smart door sensor is an innovative device to ensure your safety and convenience in everyday life. You will no longer have to think about whether you have actually closed the windows and doors in your house.

- possibility of integration into home automation, e.g. turning on lights when entering a room
- possibility of creating statistics on the opening/closing of the monitored object
- identification of unusual situations
- easy installation thanks to the accessories included in the package
- compact size and long sensor range



Order Code H5021 Item Number 30 69 052 020





GoSmart Smoke Detector TS380C-HW

Use a smart smoke detector to detect potential dangers early, wherever you are. If the detector detects smoke, it triggers loud warning sounds, an optical alarm, and also sends an instant notification to your mobile phone.

- minimalist design
- 85 dB loud alarm up to 3 m away
- alerts you when you are nearing the end of your battery life and when you need to change the batteries
- can be integrated into a home security system


















type of signaling:

lifetime: 10 yearsIP rating: IP20

optical and audible
• volume of signaling: >85

dB from 3 m distance





Item Number 21 04 103 000





GoSmart Water Leak Detector P56000S ZigBee

With a smart water leak detector, you can detect potential hazards early, wherever you are. If the detector detects a water leak, it will trigger loud warning sounds, visual alarms and also send an instant notification to your mobile phone.

alarm volume of 85 dB

10 YEARS

- compact size and elegant design
- ideal for bathrooms, kitchens or utility rooms
- can be integrated into a home security system

- type of signaling: optical and audible
- volume of signaling: >85 dB from 1 m distance
- lifetime: 10 years
- IP rating: IP65
- power source: 1× 3
 V CR2, included





 type of signaling: optical and audible

■ IP rating: IP30

V AA, included

volume of signaling: >85

dB from 3 m distance lifetime: 10 years

power source: 2× 1.5

Item Number 21 04 104 000





GoSmart Carbon Monoxide Detector TCS0101W

The ideal helper for those who heat with a gas boiler, wood-burning stove or use a karma or gas stove. Also suitable for all rooms with fossil fuel burning appliances (wood, coal, gasoline, gas ...)

u()))

- provides real-time information on the CO level in your home
- optical and acoustic signalling
- memory of alarms
- Variability of location hanging/placement in the room
- possibility of checking the alarm's functionality using the TEST/ HUSH button















Order Code P56400S Item Number 21 04 105 000







Access control systems

They bring efficient and secure management of your premises. They make it easy to control access to your premises, track people's movements and keep you informed of who enters and leaves the premises, whether it's for work or leisure. You can then easily control everything using the EMOS GoSmart app on your mobile device.



GoSmart Code Keypad IP-006AX

The sophisticated code keypad with many smart features such as remote unlocking with the EMOS GoSmart app, easier management of individual members directly in the app, entry logs, etc. will become a safe assistant at your front door.

- high quality and robust keypad finish
- remote unlocking via the EMOS GoSmart app
- entry logging function for easy attendance management
- individual member management (each member can have their own unique code or RFID chip)



















number of codes: up to 1 000

power source: 12 V AC/DC (not included)

backlight

dimensions: 23 × 78 × 115 mm





Order Code

H5023









GoSmart Thermostat P56201

- temperature calibration child lock
- working modes: automatic / manual / temporary / boots / eco / holiday
- type of control: programmable electronic room thermostat, option to control via mobile phone (iOS, Android)
- control mode: heating and cooling system
- temperature adjustment type: 6 temperature changes per day
- temperature adjustment: from 5 °C up to 35 °C, after 0.5 °C
- switching: voltage 230 V AC, 50 Hz
- dimensions: 138 × 88 × 33 mm



Order Code

P56201



















GoSmart Wireless Thermostat P56211

- temperature calibration child lock
- working modes: automatic / manual / temporary / boots / eco / holiday
- type of control: programmable electronic room thermostat, option to control via mobile phone (iOS, Android)
- control mode: heating and cooling system
- temperature adjustment type: 6 temperature changes per day
- temperature adjustment: from 5 °C up to 35 °C, after 0.5 °C
- switching: 230 V AC or voltage-free















P56211

Order Code

GoSmart Floor Thermostat P56201UF

- temperature calibration = child lock
- working modes: automatic / manual / temporary / boots / eco / holiday
- type of control: programmable electronic room thermostat, option to control via mobile phone (iOS, Android)
- control mode: heating system
- temperature adjustment type: 6 temperature changes per day
- temperature adjustment: from 1 °C up to 70 °C, after 0.5 °C
- switching: voltage 230 V AC, 50 Hz
- dimensions: 86 × 86 × 43 mm





Order Code

P56201UF

Item Number 21 01 900 002















GoSmart Thermostatic Head P5630S

- freeze protection
- open window detection
- thermo shut-off valve: SMART, programmable
- temperature adjustment type: 6 temperature changes per day
- temperature adjustment: 1 °C to 70 °C, resolution 0.5 °C
- adjustable variance of temperature: from $0.5~^{\circ}\text{C}$ up to $1.5~^{\circ}\text{C}$, after $0.5~^{\circ}\text{C}$
- open window function



















Smart thermometers give you complete control over the environment in your home. The thermometers accurately measure indoor temperature and humidity, display a history of data via the EMOS GoSmart app, and are easy to just plug into your home automation. For example, when higher humidity is detected, the bathroom ventilation automatically switches on.

GoSmart Digital Wireless Thermometer EGS0102 ZigBee

- thermometer design: wireless smart
- indoor temperature: -20 °C to +60 °C, resolution 0.1 °C
- indoor humidity: 0 % to 99 % RH, resolution 1 %



Order Code EGS0102 Item Number 26 03 122 000



- measures indoor temperature and humidity
- switchable C and F degrees
- function to view temperature and humidity data history in the app
- Temperature and humidity alert function adjustable
- Alarm function when the set range is exceeded
- battery power supply

GoSmart Digital Wireless Thermometer EGS0101 ZigBee


- thermometer design: wireless smart
- clock: wifi
- indoor temperature: -10 °C to +60 °C, resolution 0.1 °C
- indoor humidity: 0 % to 99 % RH, resolution 1 %
- min. and max. temperature



Order Code EGS0101

Item Number 26 03 123 000





GoSmart Valve Controller P5640S ZigBee

A handy wirelessly operated motorised valve that is the ideal complement to smart detectors, immediately shutting off the water or gas supply when an accident is detected, preventing even more damage.

- automatic and manual control in the event of a power failure
- high power and torque
- immediate response to the detection of an accident in case of full automation
- Ideal as a complement to the GoSmart water leak detector or smoke detector
- compatible with caps that close/open with 90° rotation
- pipe diameter: 1/2", 3/4", 1" a 1 1/4"
- torque: max. 5.88 Nm
- operating temperature: -10 °C to 55 °C
- IP rating: IP20
- power source: DC 12 V/1 000 mA, 1.4 m (included)
- protocol: Zigbee 3.0
- control by voice assistants
























GoSmart Air Quality Monitor E30300

Increased CO₂ concentration leads to drowsiness, fatigue, decreased concentration, headaches and the unpleasant sensation of exhaled air. The GoSmart air quality monitor is the ideal assistant to ensure a comfortable and healthy environment everywhere, wherever you need it. Suitable for offices, classrooms, meeting rooms, study rooms, etc.

- overview of the current CO₂ level
- when the set CO₂ level is exceeded, an internal alarm is triggered and a notification is sent via the EMOS GoSmart app to your mobile phone
- colour animation of air quality using 3 stages
- also displays a clock and can be used as an alarm clock
- clear, permanently backlit display
- permanent backlight
- CO2 alert
- CO2 level indicator
- indoor temperature: 0 °C to +50 °C, resolution 0.1°C
- indoor humidity: 20 % to 90 % RH, resolution 1 %
- protocol: Wi-Fi




























You'll conveniently control your modern smart light fixture from an app on your smartphone or with your remote control. You can adjust the colour of the light and its intensity to create the perfect atmosphere every time.

- connectivity with other devices smart home
- smooth dimming, light colour adjustment
- timer and night light function









GoSmart LED Luminaire ILVI 30W

- replacement of incandescent bulb: 110 W
- IP rating: IP20
- luminous flux: 1 800 lm
- color temperature: 2 700-6 500 K
- diffuser type: milky
- dimensions: 400 × 70 mm in diameter
- dimming function



Order Code ZM5191

15 39 087 30



GoSmart LED Luminaire ILVI 45W

- replacement of incandescent bulb: 160 W
- IP rating: IP20
- luminous flux: 2 700 lm
- color temperature: 2 700-6 500 K
- diffuser type: milky
- dimensions: 500 × 70 mm in diameter
- dimming function



Order Code ZM5192

Item Number 15 39 087 450







Light bulbs

Smart bulbs will become your key to home automation. Create scenes and take advantage of lighting settings in your home, from dimming to different colour tones of light. Create a pleasant atmosphere and give your home not only quality but also smart lighting.

- circadian rhythm changes automatically the color temperature of the light during the day to mimics the natural rhythm of sunlight and positively affects our biological clock, sleep and overall comfortable lifestyle
- music mode the bulb synchronises with ambient music so it can flash to the beat of the music
- scheduling setting cycles, sleep mode, light alarm
- bulb grouping allows you to group bulbs with the same communication protocol so you don't have to control each bulb individually, e.g. create a "Kitchen" group and control the whole kitchen lighting with one click
- reverse switch a feature that most bulbs lack, switching on and off according to the current state
- preset scenes each bulb has a set of pre-created scenes in the app (breathing, smooth transition between colors...), can be customized according to your own preferences
- switch-on memory a setting that determines how the bulb behaves when switched on - e.g. whether i<mark>t lig</mark>hts u<mark>p to the previ</mark>ous brightness, temperature or a specific colour
- dimming all bulbs are dimmable from 100% - 10%

You can control the smart WIFI bulbs with a mobile app. The bulbs allow you to pair them into groups and set different properties, such as color and light intensity, to your liking.

- control via mobile phone app
- possibility to pair multiple bulbs in groups
- possibility of dimming and changing the colour of the light
- true-to-life RGB colour rendering







DIMMABLE

CCT

RGB

GoSmart LED Bulb A60 9W E27 RGB

- replacement of incandescent bulb: 60 W
- luminous flux: 806 lm
- color temperature: 2 700-6 500 K
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: $60 \times 60 \times 120 \text{ mm}$













GoSmart LED Bulb A60 11W E27 RGB

- replacement of incandescent bulb: 75 W
- luminous flux: 1 050 lm
- color temperature: 2 700-6 500 K
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: 60 × 60 × 125 mm











GoSmart LED Bulb A60 14W E27 RGB

- · replacement of incandescent bulb: 94 W
- luminous flux: 1 400 lm
- color temperature: 2 700-6 500 K
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: 65 × 65 × 134 mm







Order Code ZQW516R



GoSmart LED Bulb CANDLE 4.8W E14 RGB

- replacement of incandescent bulb: 40 W
- luminous flux: 470 lm
- color temperature: 2 700-6 500 K
- beam angle: 180°
- lifetime: 20 000 hours
- dimensions:

37 × 37 × 110 mm







Order Code ZQW322R



GoSmart LED **Bulb MR16 4,8W GU10 RGB**

- replacement of incandescent bulb: 35 W
- luminous flux: 400 lm
- color temperature: 2 700-6 500 K
- beam angle: 120°
- lifetime: 20 000 hours
- dimensions: 50 × 50 × 56.5 mm








Order Code ZQW832R





You can control smart ZigBee bulbs with a mobile app. The bulbs allow you to pair them into groups and set different properties, such as color and light intensity, to your liking.

- control via mobile phone app
- multiple bulbs can be paired into groups
- possibility of dimming and changing the colour of the light
- true-to-life RGB colour rendering

GoSmart LED **GoSmart LED** Bulb A60 9W Bulb A60 **E27 RGB** 11W E27 RGB

- replacement of incandescent bulb: 60 W
- Iuminous flux: 806 lm
- color temperature: 2 700–6 500 K
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: 60 × 60 × 120 mm













- replacement of incandescent bulb: 75 W
- luminous flux: 1 050 lm
- color temperature: 2 700-6 500 K
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: 60 × 60 × 125 mm











GoSmart LED Bulb A60 14W E27 RGB

- replacement of incandescent bulb: 94 W
- luminous flux: 1 400 lm
- color temperature: 2 700-6 500 K
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: 65 × 65 × 134 mm







Order Code ZQZ516R



GoSmart LED Bulb CANDLE 4.8W E14 RGB

- replacement of incandescent bulb: 40 W
- luminous flux: 470 lm
- color temperature: 2 700-6 500 K
- beam angle: 180°
- Ilifetime: 20 000 hours
- dimensions: 37 × 37 × 110 mm









Order Code ZQZ322R

Item Number 15 25 751 500



GoSmart LED Bulb MR16 4,8W GU10 RGB

ZigBee

3.0

DIMMABLE

CCT

RGB

- replacement of incandescent bulb: 35 W
- luminous flux: 400 lm
- color temperature: 2 700-6 500 K
- beam angle: 120°
- lifetime: 20 000 hours
- dimensions: 50 × 50 × 56.5 mm







Order Code ZQZ832R





5 mm

The EMOS GoSmart smart LED Christmas chains with WIFI technology can light up Christmas with all the colours. You can set the colour and timer function via the mobile phone app. Thanks to the IP44 waterproof rating, you can enjoy the lights without worrying about at home or outdoors.

- up to 64 light mods
- control via the EMOS GoSmart app on your mobile phone
- timer function to switch the lights on and off at a set time
- synchronisation with music the chain will flash to the beat of the music thanks to the intergated microphone
- different chain lengths 8-24 m
- voice control via Amazon Alexa or Google Assistant

GoSmart LED Christmas chain CLASSIC 8 m RGB

- dimensions: 8 m
- area of use: both outdoor and indoor
- power supply type: AC adapter













GoSmart LED Christmas chain CLASSIC 12 m RGB

- dimensions: 12 m
- area of use: both outdoor and indoor
- power supply type: AC adapter







Order Code D4ZR02



GoSmart LED Christmas chain CLASSIC 18 m RGB

- dimensions: 18 m
- area of use: both outdoor and indoor
- power supply type: AC adapter







Order Code D4ZR03



- dimensions: 24 m
- area of use: both outdoor and indoor
- power supply type: AC adapter







Order Code D4ZR04






How do they work?

a ZigBee gateway connected to your home WIFI network. You can then set up individual scenes using the EMOS GoSmart mobile app.

You can set a special function for each of the three button positions. Has the sun started to shine and the outside temperature has risen? At the touch of a button, you can switch off the room lights, pull





GoSmart Scene Switch IP-2001ZB ZigBee

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 1
- power supply: CR 2430 3 V





Order Code

H5014

Item Number 30 69 050 140









GoSmart Scene Switch IP-2002ZW ZigBee

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation

H5011

Item Number 30 69 050 110

- number of control buttons: 2
- power supply: CR 2430 3 V



GoSmart Scene Switch IP-2002ZB ZigBee

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 2
- power supply: CR 2430 3 V

 \oplus

Order Code

H5015 Item Number 30 69 050 150





Order Code H5012

 \oplus



GoSmart Scene Switch IP-2004ZW ZigBee

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 4
- power supply: CR 2430 3 V

 \oplus

1× CR2430



GoSmart Scene Switch IP-2004ZB ZigBee

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 4
- power supply: CR 2430 3 V















Item Number 30 69 050 160







GoSmart ZigBee Gateway IP-1000Z

The ZigBee gateway will act as the basic unit for a smart home and will ensure the connection of other sensors and products into one centrally controlled unit. It will allow setting up their automation.

- Wi-Fi/ZigBee 3.0/BLE/SigMesh communication protocols
- easy installation and connection to other sensors and products
- miniature size
- maximum number of connected devices: 50
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi/Zigbee 3.0/BLE/SigMesh
- pairing: automatic, manual
- use: automation
- number of control buttons: 1
- power supply: 5 V DC/1.0 A

























GoSmart ZigBee Repeater IP-2213Z

The Zigbee gateway repeater is an effective device for extending the range of the ZigBee signal. It is the ideal helper where the signal from the Zigbee gateway cannot reach due to various reasons such as wall thickness, electromagnetic interference or distance between devices.

- minimalist design
- easy installation with USB adapter
- significant signal improvement in inaccessible places
- low power consumption
- secure encryption technology

 compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system protocol: Zigbee 3.0

use: automation

power supply: 5 V DC/1.0 A



Order Code H5022 Item Number 30 69 052 030





- switch appliances on and off remotely using your mobile phone
- automate the operation of connected devices
- save energy and monitor consumption
- timer function
- child lock
- when the electricity is switched off, it returns to the state before the power failure ON/OFF

GoSmart Socket IP-3001F

- controlled via Android
- controlled via ISO
- maximum load: 3 680 W
- transmission frequency: 2.4 GHz WIFI
- number of switching per day: 30











Order Code P5551 Item Number 19 16 055 510



GoSmart Socket IP44 IP-3005F

- controlled via Android
- controlled via ISO
- maximum load: 3 680 W
- transmission frequency: 2.4 GHz
- number of switching per day: 30
- minimal time setting: 1 minute







GoSmart Socket IP-3007F ZigBee

- controlled via Android
- controlled via ISO
- maximum load: 3 680 W
- transmission frequency: 2.4 GHz
- number of switching per day: 30
- minimal time setting: 1 minute



Order Code P5553




GoSmart Socket IP44 IP-3008F ZigBee

- controlled via Android
- controlled via ISO
- maximum load: 3 680 W
- transmission frequency: 2.4 GHz
- number of switching per day: 30
- minimal time setting: 1 minute



Order Code P5554





Small size and big effect. These are our switching and dimming modules that allow you to control the lighting in your home with a mobile app. You can set the intensity of the lights as well as the time they are switched on or off.

- connection via ZigBee or WI-Fi protocol
- variants for zero and non-zero conductor at the point of connection
- 1 or 2-channel module, which you can choose depending on which switch you want to turn into a smart switch (single switch/ double switch)
- control manually, with the EMOS GoSmart mobile app or with the Amazon Alexa and Google Assistant voice assistants

GoSmart Dimmer Module IP-2111DZ. ZigBee, 1-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W



Order Code H5107

Item Number 30 69 051 070



Easy installation



GoSmart Dimmer Module IP-2112DZ. ZigBee, 2-channel

• compatibility: EMOS GoSmart, TUYA,

- LIDL, Smartlife, open system
- protocol: Zigbee 3.0 pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W





Item Number 30 69 051 080



GoSmart Switch Module IP-2101SZ, Zigbee, 1-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W





GoSmart Switch Module IP-2103SZ, Zigbee, 1-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor

Order Code

H5101

Item Number 30 69 051 010

- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W







Order Code H5103



GoSmart Switch Module IP-2101SW, WI-FI, 1-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W





Order Code H5105 30 69 051 050



GoSmart Switch Module IP-2102SZ, Zigbee, 2-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system • protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W

ZigBee 30



Order Code H5102

Item Number 30 69 051 020



GoSmart Switch Module IP-2104SZ, ZigBee, 2-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W

ZigBee 3.0 No Neutral





Order Code H5104 Item Number 30 69 051 040



GoSmart Switch Module IP-2102SW, WI-FI, 2-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W






Order Code H5106

30 69 051 060





Whether you're at home or on the move, control your curtains, blinds or outdoor shutters with a smart motor module that connects using the ZigBee protocol.

- necessary presence of N conductor at the connection point
- easy installation
- control manually, via the EMOS GoSmart mobile app or via Amazon Alexa and Google Assistant

GoSmart Motor Module IP-2121CZ, ZigBee, 1-channel





GoSmart Motor Module IP-2122CZ, ZigBee, 2-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W



Order Code H5110 Item Number 30 69 051 100





GoSmart Garage Door Module IP-2131SW

A smart garage door control module will make your home more secure and take away the question of whether you closed your garage or entry gate.


- remote control of the garage door using the EMOS GoSmart app on your mobile phone
- real-time notification of door activity by sending a notification to your mobile phone
- automation with other GoSmart products
- remote control of garage opening/closing status from anywhere
- can also be used for entrance gates
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi/BLE
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W











GoSmart Personal Scale EV112

The smart personal scale EV112 can track up to 18 body indicators and give you detailed information about your body. With clear reports in graphical form, you'll track your progress towards achieving your dream figure.

- 18 measurable values such as BMI index, body fat, muscle mass percentage, your ideal weight and much
- memory for up to 10 different users
- max weight capacity of 180 kg (396 lb)
- weighing accuracy to 100 g
- sleek glass design with clear backlit LCD display
- LCD display
- backlight display
- scale surface: ITO tempered glass
- maximum load: 180 kg
- Bluetooth
- BMI measurement of fat, water and muscle
- weight units: kg, lb





























Let your household take care of itself and give yourself more time for your loved ones and interests.





SECURITY HOME

- 1 Indoor IP cameras
- 2 Outdoor IP cameras
- 3 Video door phones
- 4 Video doorbells
- 5 Sensors
- 6 Access control systems



MEASUREMENT AND REGULATION

- 8 Thermostats
- 9 Weather stations and thermometers
- 10 Control valves
- 11 Air quality



ELECTRICAL INSTALLATIONS AND CONTROLS

- 12 Scenic controls
- 13 Smart hubs
- 14 Extension leads
- 15 Sockets
- 16 Modules



LUMINAIRES AND LIGHTING SOURCES

- 17 Light bulbs
- 18 LED Strips
- 19 Luminaires
- 20 Christmas lights
- 21 Floodlights
- 22 Garden lighting
- 23 Ambient lighting



HOME AND GARDEN

- 24 Scales
- 25 Feeders
- 26 Irrigation systems